

***Election/Restrictions***

Claims 1, 2, 4-6, 8, 9 and 15 are allowable. The restriction requirement between the product and a method of using the product, as set forth in the Office action mailed on 1/5/09, has been reconsidered in view of the allowability of claims to the elected invention pursuant to MPEP § 821.04(a). **The restriction requirement is hereby withdrawn as to any claim that requires all the limitations of an allowable claim.** Claim 10-14, directed to a method of using the product of claim 1 are no longer withdrawn from consideration because the claim(s) requires all the limitations of an allowable claim.

In view of the above noted withdrawal of the restriction requirement, applicant is advised that if any claim presented in a continuation or divisional application is anticipated by, or includes all the limitations of, a claim that is allowable in the present application, such claim may be subject to provisional statutory and/or nonstatutory double patenting rejections over the claims of the instant application.

Once a restriction requirement is withdrawn, the provisions of 35 U.S.C. 121 are no longer applicable. See *In re Ziegler*, 443 F.2d 1211, 1215, 170 USPQ 129, 131-32 (CCPA 1971). See also MPEP § 804.01.

***Examiners Amendment***

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided

Art Unit: 1621

by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Paul N. Kokulis on 8/11/09.

The application has been amended as follows:

IN THE CLAIMS:

Claim 1 has been amended to include "\*" (an asterisk) before the phrase "shows the point of attachment to the azo..." in line 16 of the written text of the claim.

Claim 1 has been amended to correct a typo. The word --C<sub>1-6</sub>alkoxy— in the 5th line of the written text, has been replaced with "C<sub>1-6</sub>alkoxy".

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yevgeny Valenrod whose telephone number is 571-272-9049. The examiner can normally be reached on 8:30am-5:00pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel Sullivan can be reached on 571-272-0779. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1621

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Yevgeny Valenrod/

---

Yevgeny Valenrod  
Patent Examiner  
Technology Center 1600

/Daniel M Sullivan/  
Supervisory Patent Examiner, Art Unit 1621